

HASSLE-FREE FLOORING

DODFORD | DFD01

Construction	Flexible LVT
Installation	Glue Down
Thickness	2.5 mm
Wear Layer	20 mil
Plank/Tile Size	7.5" x 52" / 12" x 24"
Sq. Ft. per Carton	36.22
Attached Underlayment	No
Bevel Type	Micro Bevel
Warranty	30-Year Limited Residential 10-Year Limited Light Commercial



COLOR SHOWN: CHINCHILE OAK

WATERPROOF PERFORMANCE

EASY TO MAINTAIN

EASY TO REPAIR



BORDEAUX OAK
220



DORIAN OAK
280



SUEDE OAK
450



MOCHOCINO PINE
840



GRIFFIN OAK
87



CHINCHILE OAK
91



MERINO
92



FAWN BRINDLE
93



CANYON OAK
960



KEYSTONE
94



PERFORMANCE
 ACCESSORIES 

COLOR NUMBER	COLOR NAME	VINYL 4-IN-1	VINYL STAIR NOSE	VINYL QUARTER ROUND	QUARTER ROUND FOR WETPROTECT® FLOORS	WALL BASE
840	Mochocino Pine	V4IN1-05065	VSNP-05065	VQND-WHITE	WPQR-WHITE	RMBS-P-WHITE
87	Griffin Oak	V4IN1-03338	VSNP-03338	VQND-WHITE	WPQR-WHITE	RMBS-P-WHITE
960	Canyon Oak	V4IN1-05064	VSNP-05064	VQND-WHITE	WPQR-WHITE	RMBS-P-WHITE
220	Bordeaux Oak	V4IN1-05062	VSNP-05062	VQND-WHITE	WPQR-WHITE	RMBS-P-WHITE
450	Suede Oak	V4IN1-05063	VSNP-05063	VQND-WHITE	WPQR-WHITE	RMBS-P-WHITE
280	Dorian Oak	V4IN1-04774	VSNP-04774	VQND-WHITE	WPQR-WHITE	RMBS-P-WHITE
93	Fawn Brindle	V4IN1-04796	VSNP-04796	VQND-WHITE	WPQR-WHITE	RMBS-P-WHITE
91	Chinchile Oak	V4IN1-04357	VSNP-04357	VQND-WHITE	WPQR-WHITE	RMBS-P-WHITE
92	Merino	V4IN1-03742	VSNP-03742	VQND-WHITE	WPQR-WHITE	RMBS-P-WHITE
94	Keystone	V4IN1-05083	VSNP-05083	VQND-WHITE	WPQR-WHITE	RMBS-P-WHITE

SEAM SEALER & ADHESIVES

INVENTORY STYLE NAME	DESCRIPTION	SPREAD RATE
MVONE	Mohawk V One - 4 gallon	350 SF/gal*
MVONE	Mohawk V One - 1 gallon	350 SF/gal*

*With 3/8" short nap paint roller

FOR MORE INFORMATION, VISIT MOHAWKFLOORING.COM

