

HASSLE-FREE FLOORING

BOWMAN II | BOW01

Construction	Flexible LVT
Installation	Glue Down
Thickness	2mm
Wear Layer	12 mil
Plank Size	6" x 48"
Plank Variation	6 Unique Planks per Decor
Sq.Ft. per Carton	52
Attached Underlayment	No
Bevel Type	Painted Bevel
Warranty	25-Year Residential, 6-Year Limited Light Commercial



COLOR SHOWN: WAXWING PINE | 962

WATERPROOF PERFORMANCE

STAIN AND SCRATCH PROTECTION

ENHANCED VISUALS



WARBLER OAK
360



CROWNED KINGLET OAK
220




SEdge WREN OAK
259



SAVANNAH SPARROW PINE
875



WAXWING PINE
962



EASTERN MEADOWLARK PINE
382



FOX SPARROW OAK
892



SEASIDE SPARROW PINE
849



SUNSET GULL PINE
310



CARACARA PINE
998

PERFORMANCE 
 ACCESSORIES

ADHESIVES / SEALERS INVENTORY STYLE NAME	ADHESIVES / SEALERS DESCRIPTION	SPREAD RATE	MOLDINGS	MOLDING SKUS
Mohawk MVONE	4 Gallon	250 SF/gal*	Waterproof Quarter Round	WPQR - WHITE
Mohawk MVONE	1 Gallon	250 SF/gal*	Quarter Round	VQND - WHITE
Mohawk M7	8oz	100 LF WITH 1/8" BEAD	Wall Base	MBSP - WHITE
XL23 Mohawk Prime Coat	4 Gallon	315 - 360 SF/GAL	-	-

*With provided trowel

FOR MORE INFORMATION, VISIT MOHAWKFLOORING.COM

